

Applicant : John P. Holden et al.
Serial No. : 09/696,989
Filed : October 26, 2000
Page : 2

Attorney's Docket No.: 00216-519001 / Case 8075

In the claims:

Please amend the claims as follows:

1. (Currently amended): A method of making a shaving razor handle comprising
molding ~~an~~ a solid inner core of a first plastic at opposed first mold cavities, said
inner core providing a purely internal member without any external surface portions,
molding an outer portion of a second plastic around said inner core at opposed
second mold cavities, said outer portion including first external surface portions,
molding at least one elastomeric grip portion on said outer portion at opposed
third mold cavities, said elastomeric grip portion including second external surface
portions, said handle having an external surface including said first and second external
grip portions and not including said first plastic. 2. The method of claim 1 wherein said
first and second plastic have the same composition
2. (Original): The method of claim 1 wherein said first and second plastic have the same
composition
3. (Original): The method of claim 1 wherein said first and second plastic have the same
composition except the compositions have different colors.
4. (Original): The method of claim 1 wherein said molding an inner core includes molding a
portion of said inner core about an engagement member, and further comprising moving
said inner core from said first mold cavities to said second mold cavities prior to said
molding an outer portion.
5. (Original): The method of claim 4 further comprising moving said inner core and said
outer portion from said second mold cavities to said third mold cavities prior to said
molding said at least one grip portion.
6. (Original): The method of claim 1 wherein a plurality of inner cores of a first plastic are
simultaneously molded at said first mold cavities.

Applicant : John P. Holden et al.
Serial No. : 09/696,989
Filed : October 26, 2000
Page : 3

Attorney's Docket No.: 00216-519001 / Case 8075

7. (Original): The method of claim 6 wherein a plurality of outer portions of said second plastic are simultaneously molded at said second mold cavities.
8. (Original): The method of claim 7 wherein a plurality of elastomeric grip portions are simultaneously molded at said third mold cavities.
9. (Original): The method of claim 4 further comprising removing said inner core from said engagement member after said molding said grip portion, and thereafter attaching a handle connection component that has a shape that is similar to the shape of said engagement member.
10. (Original): The method of claim 1 wherein said molding an inner core includes molding an inner core having a hole passing therethrough, and wherein said molding an outer portion includes gating plastic for said outer portion through said hole from a first side surface of said inner core to a second side surface of said inner core.
11. (Original): The method of claim 10 wherein said molding an outer portion includes supporting said first side against a mold surface while said plastic flows past said second side surface.

Claim 12 --14 (cancelled)

15. (Currently amended): A method of making a shaving razor handle comprising molding ~~an~~ a solid inner core of a first plastic at opposed first mold cavities, molding an outer portion of a second plastic around said inner core at opposed second mold cavities, and molding at least one elastomeric grip portion on said outer portion at opposed third mold cavities, said first and second plastics having the same composition and appearance.
16. (Previously added): The method of claim 16 wherein said first and second plastic are both clear plastic.

Applicant : John P. Holden et al.
Serial No. : 09/696,989
Filed : October 26, 2000
Page : 4

Attorney's Docket No.: 00216-519001 / Case 8075

- B 17. (Previously added): The method of claim 16 wherein said molding an outer portion includes providing said outer portion with a surface texture.